3. Hardware Overview

3.1. Tool Description



ITEM	Description
1	**OBD II CONNECTOR** Connects the tool to the vehicle's Data Link connector (DLC).
2	**Dongle** USB dongle.
3	**USB CONNECTOR** Connects the tool to the PC/Laptop through USB Cable.
4	**Programmer** Program keys.
5	**Programmer Female Pin** Connects programmer to device.
6	**Programmer Male Pin** Connects programmer to device.

3.2.Specifications

ITEM	Description		
Operating Temperature	-20 to 70 °C (-4 to 158 °F)		
Storage Temperature	-40 to 85 °C (-40 to 185 °F)		
Diagnostic Interface	16 PIN		
USB Interface	USB 2.0		
Power	DC 5 V - 12 V		
Consumption	1 W		
Dimensions	**Length** 95 mm(3.74″)	**Width** 49 mm(1.93″)	**Height** 28 mm(1.10″)
Net Weight	85 g		
Gross Weight	223 g		

3.3.System Requirements

PC/Laptop Minimum Specification

	Minimum Specification	Recommended Specification
CPU	Pentium 3/1GHz or above	Pentium 4/1.6GHz or above
Memory(RAM)	512M or above	1G or above
HDD	40G or above	60G or above
Display	800 x 600 or above	1024 x 768 or above
OS	Win98/2000/XP/Vista	WinXP
Port	USB	USB